

VELP Scientifica Solutions for Stirring



MST **MICROSTIRRER** **ESP** **AGE** **ATE** **MULTISTIRRER 6 (Analog / Digital)** **MULTISTIRRER 15 (Analog / Digital)** **AMI** **AMI4**

Stirring speed rpm	up to 1100	up to 1100	up to 1100	up to 1200	up to 1200	from 80 to 1500 (digital) from 50 to 850 (analog)	from 80 to 1500 (digital) from 50 to 850 (analog)	up to 1100	up to 1100
Stirring volume L	up to 5	up to 5	up to 5	up to 8	up to 25	up to 2.4 (400 ml each)	up to 3.75 (250 ml each)	up to 5	up to 20
Timer						• (digital version only)	• (digital version only)		
Reverse Operation						• (digital version only)	• (digital version only)		
Dimensions (WxHxD) mm	130x50x150	120x48x128	160x33x230	171x75x190	250x120x285	230x51.5x370	230x51.5x370	150x55x270	600x55x270
	(in) (5.1x2.0x5.9)	(4.7x1.9x5.0)	(6.3x1.3x9.0)	(6.7x2.9x7.5)	(9.8x4.7x11.2)	(9.0x2.0x14.5)	(9.0x2.0x14.5)	(5.9x2.2x10.6)	(23.6x2.2x10.6)
Weight	Kg 0.4	0.55	0.9	1.8	3.7	1.75	2.1	1.2	4.0
	(lb) (0.9)	(1.1)	(2.0)	(4.0)	(8.1)	(3.8)	(4.6)	(2.6)	(8.8)
Power Supply	100÷240 V	100÷240 V	100÷240 V	115 or 230 V	115 or 230 V	100÷240 V	100÷240 V	100÷240 V	100÷240 V
Power	0.6 W	0.6 W	5 W	40 W	15 W	3.6 W	9 W	1.2 W	4.8 W



www.velp.com